

5FT REACHER MOUNT

SKU: SP-SMREACH

SteadyMax Pole Attachment

Designed to reach out over a property line or fence with 3 different mounting methods

1. Pole Mount

(Round or Square Models Available)

- 2.Building & Wall Mount
- 3. Corner Mount



When monitoring beyond a fence line, just over a property line or beyond a building, it is vitally important that the cameras be as steady as possible in order for the Camera Analytics or Motion Detection to work efficiently without a lot of errors and false alarms. That's where the rock-solid performance of the **SteadyMax** Poles and Attachments come in. No other pole and attachments can match our steady, rigid performance under heavy loads and strong winds.

The *Reacher* Attachment was developed to help see down a street, alley or other areas that may be just beyond or past a fence or property line. This attachment was designed to allow a PTZ or even a Panoramic camera to reach beyond the pole position, building footprint, or to see around corners, down an alley or out into a street. When pole mounting, it is often used at a lower 12'-16' height to reach beyond a fence line.

SteadyMax Pole 6" Round Pole Fit Location

25' Pole within top 5-1/2' 20' Pole within top 5-1/2' 16' Pole anywhere 12' Pole anywhere

4" Square Pole

5" Square Pole

6" Square Pole

Fit Location

ANYWHERE

Building Mount & Corner Mount Fit Location

ANYWHERE



THE SECURITY INDUSTRY STANDARD

5FT REACHER PTZ MOUNT

SKU: SP-SMREACH

How to Use with Fences:

For high-security fences, which may impact camera performance due to their design, **StrongPoles** recommends setting our **SteadyMax** poles several feet away from the fence. The **Reacher** attachment extends 5 feet from the pole, avoiding vibrations and wind-induced movements.

The **Reacher** attaches with 5/8" U-Bolts and clamps, ensuring no movement. The PTZ Mount fits a 1-1/2" NPT male connection, with optional reducers for 1" connections.

Max weight load: 40 pounds.

Note: U-Bolts fit poles up to 6" diameter and 9 1/4" length.

A WARNING

For <u>Wall</u> and <u>Corner</u> mounted <u>Reacher</u> research the appropriate type of anchors based on the weight they need to support and the material they will be embedded in, such as concrete or other surfaces.

Different types of anchors are designed to handle varying weights and materials. For instance, wedge anchors and drop-in anchors are typically used for heavy-duty applications in concrete.

It's crucial to select the right anchor to ensure stability and safety. Consider factors such as the load capacity, the environment where the anchor will be used, and the specific material properties.

Proper research and selection will help you choose the most effective and reliable anchor for your needs.




THE SECURITY INDUSTRY STANDARD

5FT REACHER PTZ MOUNT

SKU: SP-SMREACH

SteadyMax Pole Mount:





Note: Fits poles up to 6" diameter

<u>U-BOLTS, NUTS,</u>
<u>& WASHERS</u>
<u>PROVIDED FOR</u>
STEADYMAX POLES





THE SECURITY INDUSTRY STANDARD

5FT REACHER PTZ MOUNT

SKU: SP-SMREACH

Flat Mount:





1/2" Diameter
Wall Mounting
Hole

5' Reacher SteadyMax Pole Attachment Designed to reach out over a property line or fence

NOTE:

Tell us your pole size & we will provide the correct U-Bolts or Square Pole Bolts



THE SECURITY INDUSTRY STANDAR

5FT REACHER PTZ MOUNT

SKU: SP-SMREACH

Corner Mount:

